Indiana 5-Star Environmental Recognition Program for Drycleaners Application – 2002-2004

The Indiana Department of Environmental Management, together with the Indiana Drycleaning and Laundry Association and other interested parties, developed the Indiana 5-Star Environmental Recognition Program in 1995 to recognize drycleaners that demonstrate exceptional environmental stewardship. Drycleaners earn stars based on specific criteria. You may send in applications any time. IDEM awards stars periodically.

Drycleaners must be in compliance with all applicable environmental, employee health/safety, Fire Marshal, and Boiler/Pressure Vessel rules before applying for stars. For confidential compliance assistance, call IDEM's Compliance and Technical Assistance Program (CTAP) at (800) 988-7901.

Why should you consider being part of the 5-Star program?

- Marketing: You can use this program to market your environmental responsibility to your customers.
- Recognition: IDEM maintains a database of participants on the Internet and produces other publications to educate the public about the program.
- Press coverage: Many cleaners in the program have received local newspaper, radio and television coverage for their companies.

All applications are reviewed by a committee consisting of representatives from IDEM, IDLA, solid waste management districts and other interested parties. IDEM conducts a site visit for all 4- and 5-Star applicants to verify requirements are being met. This site visit is not an inspection; it is a comprehensive analysis of each facility.

Program guidelines that all applicants must follow:

- 1. Drop-off stores must have their cleaning done by a program participant to receive stars. Drop-off stores are awarded the same number of stars as the corresponding cleaning plant.
- 2. Program participants must display their 5-star plaque in customers' view.
- Program participants must display and make available to their customers the IDEM/IDLA brochure "Garment Care and the Environment: Where Are We and Where Are We Going."
- 4. Program participants agree to respond openly and honestly within a reasonable time frame to questions by neighbors and customers regarding environmental issues.
- If you choose to drop out of the program, you must remove your plaques and window stickers and you must stop using the 5-Star program in your marketing materials, advertising and yellow pages listings.
- 6. Stars remain in effect for three years. At the end of three years, you must re-apply to renew your stars.
- 7. If you have more than one cleaning plant, please send in a separate application for each one.

Mail your entire application (including the environmental points sheet) to IDEM – CTAP, 150 West Market Street, Suite 703, Indianapolis, Indiana 46204-2811, or fax to (317) 233-5627. If you have questions or comments, call CTAP at (800) 988-7901. For more information on IDEM's 5-Star programs, visit our web site at www.in.gov/idem/ctap.

Indiana 5-Star Environmental Recognition Program for Drycleaners

Application – Effective until December 31, 2004

Owner/Manager:			
Facility Name:			
Mailing Address:			
City:		•	
Phone Number:	FA	X Number:	
Email address:			-
Facility Address (If different	it than mailing address)		
Street:			
City:	State:	Zip:	
EPA ID#:	(nu:	mber you use on ha	zardous waste manifests)
I certify that all the informat commit to maintaining the q			
Signature	Date		
Title	A		
1. Which drycleaning solve			
1. Which drycleaning solve	ent do you use?		
☐ Perchloroethylen	•		
☐ Perchloroethylen☐ Petroleum ☐	•	-	

Environmental Points Activities

You must earn 20 points for three stars, 30 points for four stars and 40 points for five stars from these activities. NOTE: You do not have to perform the activities in the current year. You get credit even if you performed them in the past.

WASTI	E MANAGEMENT/SOURCE REDUCTION
5	Conduct a mercury assessment of your facility to identify all mercury-containing items.
	If you find any mercury not in use, you must recycle it. Call CTAP for recycling options.
5	Use .5 mil (.0005) or thinner plastic garment bags.
5	
	thinner.
5	Post signs and train employees about wet-side and dry-side spotting chemicals. Dry-side
	spotters must never be allowed to enter a sanitary sewer system or be poured down any
	drain. Spotting board residue must be placed in your hazardous waste container and
	managed as a hazardous waste.
10	Implement a recycling program that includes corrugated cardboard, aluminum cans,
	plastic bottles and steel hangers.
10	Recycle all mercury-containing items on an on-going basis, including all spent
	fluorescent and HID lamps.
	nuorescent and the lamps.
ENERG	Y EFFICIENCY and RESOURCE CONSERVATION
	Install and properly maintain an energy-efficient (82% + rated) boiler.
	Install programmable electronic mercury from the magnetic at all years at a 1.
10	Install programmable, electronic, mercury-free thermostats at all your stores to adjust
	heating/cooling when unoccupied. If you remove a mercury-containing thermostat, you
10	must recycle it properly. Call CTAP for mercury recycling options.
10	Install a water chiller for water recovery.
	Install a hot water retriever on your boiler, if doing so results in energy savings.
10	Install energy-efficient lighting such as T-8, T-10, electronic ballasts, metal halide
10	and/or sodium vapor lamps.
10	· · · · · · · · · · · · · · · · · · ·
	LLANEOUS ACTIVITIES Participate in a "Great for Kide" and the participate in a "Great for Kide" and "Great for Kide" and the participate in a "Great for Kide" and the participate in a "Great for Kide" and the participate in a "Great for Kide" and the "Great for Kide" and "Great for
5 5	Participate in a "Coats for Kids" or other community garment cleaning effort.
	Properly evaporate your perc separator water with appropriate filtration/capture of perc.
5	Be a member in good standing of a state/national drycleaning trade group that promotes
	environmental education and stewardship.
5	Install Carefill™ or similar closed-loop system fittings on your drycleaning machine.
10	These fittings prohibit perc releases when filling your machine with perc.
10	Serve on local environmental committees such as the wellhead protection committee or
	solid waste management district board/citizen advisory council.
10	Operate natural gas vehicles in your fleet and ensure that the vehicles are fueled with
	natural gas most of the time.
	Earn 10 points for each solvent mileage increase of 100 over the required solvent
	mileage requirement. You can earn a maximum of 30 points for this activity.
15	Have at least one person on staff that has earned the Certified Professional Wetcleaner
	(CPW) designation from the International Fabricare Institute (IFI).
20	Have at least one person on staff that has earned the Certified Environmental Drycleaner
	(CED) designation from IFI.
20	Install a spill containment basin/pan under your existing drycleaning machine. You
	can only get points for this activity if you lift an existing machine and install a spill pan.
	You may earn additional points for other activities not listed. You must document your
	efforts and explain the benefits of the activities. The review committee will assign point
	values. Please attach a separate sheet of paper or use the back of this sheet.
	TAXAGO, A TORGO RICKOTA A DODARRIO DILOCE DI DUDOI DI USO UIO DIION DI UITO MICCI.

TOTAL POINTS

2. Number of stars you are applying for:	3. Check 4. Please are a To qualify Use a h and 3) has you are a 0	1 star 2 stars 3 stars one: New application check the boxes that apply affirming that you will follo for one star, you must: azardous waste transporter that	4 stars5 Upgrade of y to your star lev ow the requirem	star level	ng the boxes, you
3. Check one: New application Upgrade of star level Renewal of stars 4. Please check the boxes that apply to your star level. By checking the boxes, you are affirming that you will follow the requirements to stay in the program. To qualify for one star, you must: Use a hazardous waste transporter that: 1) has an EPA ID number; 2) is registered with DOT; and 3) has liability insurance. You must use this hauler for all your hazardous waste, even if you are a Conditionally Exempt Small Quantity Generator (CESQG). You may use your local Solid Waste Management District for your hazardous waste if it is allowed. If you are located in a wellhead protection area, post the name and phone number of your public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: Qualify as a 1-Star Drycleaner Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	 3. Check 4. Please are a To qualify Use a h and 3) has you are a 0 	one: New application check the boxes that apply affirming that you will follow for one star, you must:	Upgrade of y to your star leve ow the requirement	star level	ng the boxes, you
4. Please check the boxes that apply to your star level. By checking the boxes, you are affirming that you will follow the requirements to stay in the program. To qualify for one star, you must: Use a hazardous waste transporter that: 1) has an EPA ID number; 2) is registered with DOT; and 3) has liability insurance. You must use this hauler for all your hazardous waste, even if you are a Conditionally Exempt Small Quantity Generator (CESQG). You may use your local Solid Waste Management District for your hazardous waste if it is allowed. If you are located in a wellhead protection area, post the name and phone number of your public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: Qualify as a 1-Star Drycleaner Accept hangers from customers for re-use/recycling. Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	4. Please are a To qualify Use a h and 3) has you are a 0	check the boxes that apply affirming that you will follow for one star, you must:	y to your star lev	vel. By checki	ng the boxes, you
are affirming that you will follow the requirements to stay in the program. To qualify for one star, you must: Use a hazardous waste transporter that: 1) has an EPA ID number; 2) is registered with DOT; and 3) has liability insurance. You must use this hauler for all your hazardous waste, even if you are a Conditionally Exempt Small Quantity Generator (CESQG). You may use your local Solid Waste Management District for your hazardous waste if it is allowed. If you are located in a wellhead protection area, post the name and phone number of your public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: Qualify as a 1-Star Drycleaner. Accept hangers from customers for re-use/recycling. Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	To qualify Use a hand 3) has you are a (ffirming that you will follow for one star, you must: azardous waste transporter that	ow the requirem	•	· ,
□ Use a hazardous waste transporter that: 1) has an EPA ID number; 2) is registered with DOT; and 3) has liability insurance. You must use this hauler for all your hazardous waste, even if you are a Conditionally Exempt Small Quantity Generator (CESQG). You may use your local Solid Waste Management District for your hazardous waste if it is allowed. □ If you are located in a wellhead protection area, post the name and phone number of your public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: □ Qualify as a 1-Star Drycleaner □ Accept hangers from customers for re-use/recycling. □ Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. □ Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: □ Qualify as a 2-Star Drycleaner. □ Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) □ Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	☐ Use a h and 3) has you are a (azardous waste transporter that			
and 3) has liability insurance. You must use this hauler for all your hazardous waste, even if you are a Conditionally Exempt Small Quantity Generator (CESQG). You may use your local Solid Waste Management District for your hazardous waste if it is allowed. If you are located in a wellhead protection area, post the name and phone number of your public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: Qualify as a 1-Star Drycleaner Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	and 3) has you are a 0				
public water supplier near all of your telephones. You must call your public water supplier if you have a spill of any chemical that threatens to enter the groundwater. To qualify for two stars, you must: Qualify as a 1-Star Drycleaner Accept hangers from customers for re-use/recycling. Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.		onditionally Exempt Small Qu	use this hauler for antity Generator (C	all your hazardou CESQG). You m	us waste, even if
 Qualify as a 1-Star Drycleaner Accept hangers from customers for re-use/recycling. Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer. 	public wat	er supplier near all of your teler	phones. You must	call your public	
 □ Accept hangers from customers for re-use/recycling. □ Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. □ Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. □ Qualify for three stars, you must: □ Qualify as a 2-Star Drycleaner. □ Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) □ Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer. 	To qualify	for two stars, you must:			
 □ Accept plastic drycleaning bags returned by customers for recycling at all stores. If you use a very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. □ Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. □ Qualify for three stars, you must: □ Qualify as a 2-Star Drycleaner. □ Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) □ Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer. 	☐ Qualify	as a 1-Star Drycleaner			
very thin plastic bag (.5 mil (.0005) or thinner), accepting bags for recycling is optional. Send a copy of your hazard communication program (OSHA-required program) with this application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	☐ Accept	hangers from customers for re-	-use/recycling.		
application. Include documentation that you train your employees. To qualify for three stars, you must: Qualify as a 2-Star Drycleaner. Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.					
☐ Qualify as a 2-Star Drycleaner. ☐ Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) ☐ Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.					ogram) with this
☐ Consistently achieve a 300 solvent mileage including wet cleaning or a 200 solvent mileage not including wet cleaning. (See back page for solvent mileage calculation information.) ☐ Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	To qualify	for three stars, you must:			
not including wet cleaning. (See back page for solvent mileage calculation information.) Assure that all floor drains are protected with an absorbent or other spill protection method to prevent a spill to the outside, storm sewer or sanitary sewer.	☐ Qualify	as a 2-Star Drycleaner.			
prevent a spill to the outside, storm sewer or sanitary sewer.				_	
Term 20 mainta from anvironmental nainta activities				nt or other spill p	rotection method to
Earn 20 points from environmental points activities.	☐ Earn 2	points from environmental po	oints activities.		
en de la companya de La companya de la co					The Control of the Co



gallons of drycleaning solvent used in previous twelve months